

Table 1. Access to Care: Percentage of Persons Reporting They Were Unable to Get Needed Health Care by Sex and Age. Utah 1996.

Item/Demographic Subgroup	Utah Population Distribution		Survey Estimates of Utahns Who Had Access Problems			
	Percentage Distribution	Number of Persons ¹	Percentage of Persons Reporting Access Problem ²	Number of Persons ^{1, 3}	Percentage Distribution of Persons Who Had Access Problem by Category ³	
Type of Health Care for Which a Problem Was Reported, All Utahns						
Medical Care	100.0%	1,991,800	1.3% ± 0.5%	25,700	100.0%	
Dental Care	100.0%	1,991,800	1.9% ± 0.6%	38,000	100.0%	
Mental Health Care	100.0%	1,991,800	0.6% ± 0.3%	11,800	100.0%	
Any Access Problem (One or More: Medical, Dental, or Mental Health)						
	100.0%	1,991,800	2.4% ± 0.6%	48,400	100.0%	
Reason Reported for Access Problem						
Financial/Insurance				28,700	59.4%	
Inconvenience				3,900	8.1%	
Afraid/Embarrassed				***	***	
Doesn't Like Doctors				***	***	
Problem Getting Appointment				1,700	3.5%	
No Doctor Available				***	***	
Other Reason				6,000	12.4%	
Total, Utahns Reporting Access Problem				48,400	100.0%	
Sex						
Males	49.5%	986,400	2.3% ± 0.9%	22,200	45.9%	
Females	50.5%	1,005,400	2.6% ± 0.9%	26,200	54.1%	
Total, All Utahns	100.0%	1,991,800	2.4% ± 0.6%	48,400	100.0%	
Age Group						
17 and Under	32.6%	648,600	0.7% ± 0.5%	4,700	9.7%	
18 to 34	27.2%	541,100	5.1% ± 1.8%	27,700	57.2%	
35 to 49	20.3%	403,900	2.8% ± 1.4%	11,200	23.1%	
50 to 64	10.6%	211,700	1.6% ± 1.4%	3,400	7.0%	
65 and Over	9.4%	186,500	*** ± ***	***	***	
Total, All Utahns	100.0%	1,991,800	2.4% ± 0.6%	48,400	100.0%	
Sex and Age						
Males, 17 and Under	16.7%	332,900	1.1% ± 0.9%	3,500	7.2%	
Males, 18 to 34	13.4%	267,600	4.2% ± 2.3%	11,100	22.9%	
Males, 35 to 49	10.1%	201,200	3.0% ± 2.3%	6,100	12.6%	
Males, 50 to 64	5.2%	103,900	0.7% ± 0.7%	700	1.4%	
Males, 65 and Over	4.1%	80,900	*** ± ***	***	***	
Females, 17 and Under	15.8%	315,700	0.4% ± 0.3%	1,200	2.5%	
Females, 18 to 34	13.7%	273,400	6.1% ± 2.7%	16,500	34.1%	
Females, 35 to 49	10.2%	202,700	2.5% ± 1.6%	5,100	10.5%	
Females, 50 to 64	5.4%	107,900	*** ± ***	***	***	
Females, 65 and Over	5.3%	105,600	*** ± ***	***	***	
Total, All Utahns	100.0%	1,991,800	2.4% ± 0.6%	48,400	100.0%	

1 Rounded to the nearest 100 persons.

2 Plus or minus 95% confidence interval

3 Figures in these columns may not sum to the totals because of missing values on the grouping variables.

*** Sample size insufficient to produce reliable population estimates.

Table 2. Access to Care: Percentage of Persons Reporting They Were Unable to Get Needed Health Care by Selected Demographic Characteristics. Utah 1996.

Demographic Subgroup	Utah Population Distribution		Survey Estimates of Utahns Who Had Access Problems			
	Percentage Distribution	Number of Persons ¹	Percentage of Persons Reporting Access Problem ²	Number of Persons ^{1, 3}	Percentage Distribution of Persons Who Had Access Problem by Category	
Local Health District						
Bear River	6.1%	122,300	2.5% ± 1.8%	3,000	6.2%	
Central	2.9%	58,600	3.5% ± 2.0%	2,000	4.1%	
Davis	11.0%	219,900	0.4% ± 0.4%	800	1.7%	
Salt Lake	41.3%	823,400	2.4% ± 1.2%	19,800	41.1%	
Southeastern	2.7%	53,500	5.8% ± 2.8%	3,100	6.4%	
Southwest	5.6%	111,100	2.3% ± 1.6%	2,600	5.4%	
Summit	1.1%	22,400	2.7% ± 2.2%	600	1.2%	
Tooele	1.4%	26,900	2.0% ± 1.6%	500	1.0%	
TriCounty	1.9%	38,500	3.3% ± 2.2%	1,300	2.7%	
Utah County	15.9%	316,200	2.5% ± 1.7%	8,000	16.6%	
Wasatch	0.6%	12,200	4.3% ± 2.3%	500	1.0%	
Weber-Morgan	9.4%	186,600	3.2% ± 1.8%	6,000	12.4%	
Total, All Utahns	100.0%	1,991,800	2.4% ± 0.6%	48,400	100.0%	
Health Insurance Status						
Insured	90.5%	1,802,000	1.6% ± 0.5%	28,100	59.4%	
Uninsured	9.5%	189,800	10.1% ± 4.1%	19,200	40.6%	
Total, All Utahns	100.0%	1,991,800	2.4% ± 0.6%	48,400	100.0%	
Persons Who Had Health Insurance						
Excellent/Very Good Health	63.9%	1,273,300	1.0% ± 0.4%	12,500	43.4%	
Good/Fair/Poor Health	26.5%	528,700	3.1% ± 1.4%	16,300	56.6%	
Total Insured	90.5%	1,802,000	1.6% ± 0.5%	28,100	100.0%	
Persons With No Health Insurance						
Excellent/Very Good Health	6.4%	126,800	8.6% ± 5.1%	10,900	58.0%	
Good/Fair/Poor Health	3.2%	63,000	12.5% ± 6.8%	7,900	42.0%	
Total Uninsured	9.5%	189,800	10.1% ± 4.1%	19,200	100.0%	
Household Poverty Level⁴						
≤100%	7.1%	141,400	7.3% ± 4.2%	10,300	22.2%	
101%-200%	27.3%	543,600	3.9% ± 1.5%	21,100	45.4%	
201%-300%	26.8%	533,600	1.3% ± 0.7%	6,800	14.6%	
≥301%	38.8%	772,800	1.1% ± 0.7%	8,300	17.8%	
Total, All Utahns	100.0%	1,991,800	2.4% ± 0.6%	48,400	100.0%	
Income Less Than 100% of Poverty Level						
Excellent/Very Good Health	4.1%	82,200	*** ± ***	***	***	
Good/Fair/Poor Health	3.0%	59,200	9.2% ± 5.7%	5,400	52.4%	
Total <100% of Poverty Level	7.1%	141,400	7.3% ± 4.2%	10,300	100.0%	
Income Greater Than 100% of Poverty Level						
Excellent/Very Good Health	67.2%	1,337,600	1.2% ± 0.5%	16,600	45.2%	
Good/Fair/Poor Health	25.7%	512,500	3.9% ± 1.7%	20,100	54.8%	
Total >100% of Poverty Level	92.9%	1,850,000	2.0% ± 0.6%	36,630	100.0%	

Table 2. (Continued)

Demographic Subgroup	Utah Population Distribution		Survey Estimates of Utahns Who Had Access Problems		
	Percentage Distribution	Number of Persons ¹	Percentage of Persons Reporting Access Problem ²	Number of Persons ^{1, 3}	Percentage Distribution of Persons Who Had Access Problem by Category
Annual Household Income					
<=\$15,000	6.7%	133,300	8.2% ± 4.3%	10,900	22.5%
\$15,000-\$35,000	29.9%	595,300	3.8% ± 1.4%	22,500	46.5%
\$35,000-\$55,000	33.3%	663,300	1.4% ± 0.7%	9,000	18.6%
>=\$55,000	30.1%	599,500	*** ± ***	***	***
Total, All Utahns	100.0%	1,991,800	2.4% ± 0.6%	48,400	100.0%
Income Under \$15,000					
Excellent/Very Good Health	3.5%	69,000	*** ± ***	***	***
Good/Fair/Poor Health	3.2%	64,300	9.7% ± 5.5%	6,200	56.9%
Total Under \$15,000	6.7%	133,300	8.2% ± 4.3%	10,900	100.0%
Income \$15,000 to \$45,000					
Excellent/Very Good Health	32.9%	654,900	2.2% ± 0.9%	14,300	52.0%
Good/Fair/Poor Health	15.4%	305,700	4.3% ± 2.2%	13,200	48.0%
Total \$15,000 to \$45,000	48.2%	960,600	2.9% ± 0.9%	27,500	100.0%
Income Over \$45,000					
Excellent/Very Good Health	35.0%	696,300	0.3% ± 0.3%	2,100	25.3%
Good/Fair/Poor Health	10.1%	201,800	3.1% ± 2.7%	6,200	74.7%
Total Over \$45,000	45.1%	898,100	0.9% ± 0.7%	8,300	100.0%
Education Level (Age 18 and Over)					
High School Grad or Less	36.5%	490,300	3.3% ± 1.4%	16,300	37.3%
Some College or Vocation Degree	37.3%	501,000	3.3% ± 1.4%	16,500	37.8%
Four-Year College Graduate	26.2%	351,900	3.1% ± 1.8%	10,900	24.9%
Total, Adult Utahns (Age 18+)	100.0%	1,343,200	3.3% ± 0.9%	44,300	100.0%
Marital Status (Age 18 and over)					
Married	68.4%	918,700	2.8% ± 1.1%	26,000	59.5%
Divorced, Widowed, Separated	13.4%	180,000	6.1% ± 2.9%	10,900	24.9%
Never Married	18.2%	244,500	2.8% ± 1.7%	6,800	15.6%
Total, Adult Utahns (Age 18+)	100.0%	1,343,200	3.3% ± 0.9%	44,300	100.0%
Wasatch Front Residence ⁵					
Wasatch Front	77.3%	1,539,500	2.7% ± 0.8%	41,000	75.1%
Non-Wasatch Front	22.7%	452,100	3.0% ± 0.8%	13,600	24.9%
Total, All Utahns	100.0%	1,991,800	2.4% ± 0.6%	48,400	100.0%

1 Rounded to the nearest 100 persons.

2 Plus or minus 95% confidence interval

3 Figures in these columns may not sum to the totals because of missing values on the grouping variables.

4 Household income expressed as a percentage of the federal poverty level.

5 Wasatch Front counties include Salt Lake, Utah, Davis, and Weber counties.

*** Sample size insufficient to produce reliable population estimates.

Table 3. Access to Care: Percentage of Persons Reporting They Were Unable to Get Needed Health Care by Various Indicators of Health Status. Utah 1996.

Health Status Subgroup	Utah Population Distribution		Survey Estimates of Utahns Who Had Access Problems			
	Percentage Distribution	Number of Persons ¹	Percentage of Persons Reporting Access Problem ²	Number of Persons ^{1, 3}	Percentage Distribution of Persons Who Had Access Problem by Category	
General Health Status						
Very Good, Excellent	70.0%	1,394,300	1.7% ± 0.6%	23,000	47.0%	
Good, Fair, Poor	30.0%	597,500	4.3% ± 1.5%	25,900	53.0%	
Total, All Utahns	100.0%	1,991,800	2.4% ± 0.6%	48,400	100.0%	
SF-12 Physical Health Status Composite Score (Age 18 and Over)⁴						
Average or Above Average	81.2%	1,090,700	2.7% ± 0.9%	29,300	68.0%	
Below Average Physical Health	18.8%	252,500	5.5% ± 2.5%	13,800	32.0%	
Total, Adult Utahns (Age 18+)	100.0%	1,343,200	3.3% ± 0.9%	44,300	100.0%	
SF-12 Mental Health Status Composite Score (Age 18 and Over)⁴						
Average or Above Average	83.1%	1,116,200	2.0% ± 0.8%	22,500	51.1%	
Below Average Mental Health	16.9%	227,000	9.5% ± 3.8%	21,500	48.9%	
Total, Adult Utahns (Age 18+)	100.0%	1,343,200	3.3% ± 0.9%	44,300	100.0%	
Presence of a Chronic Medical Condition⁵						
Medical Condition	20.9%	416,300	4.5% ± 1.8%	18,700	39.0%	
No Medical Condition	79.1%	1,575,500	1.9% ± 0.6%	29,300	61.0%	
Total, All Utahns	100.0%	1,991,800	2.4% ± 0.6%	48,400	100.0%	

1 Rounded to the nearest 100 persons.

2 Plus or minus 95% confidence interval

3 Figures in these columns may not sum to the totals because of missing values on the grouping variables.

4 Medical Outcomes Study (MOS) SF-12 measure for physical and mental health status. For more information, see Bureau of Surveillance and Analysis. (1997). *Health Status in Utah: The Medical Outcomes Study SF-12* (1996 Health Status Survey Report). Salt Lake City, UT: Utah Department of Health.

5 Medical conditions include Alzheimer's disease, asthma, diabetes, chronic obstructive pulmonary disease, arthritis, stroke, heart disease, hearing impairment, vision impairment, and speech impairment.

Table 4. Primary Provider: Percentage of Persons Who Had No Primary Health Care Provider or Usual Place of Care by Sex and Age. Utah 1996.

Demographic Subgroup	Utah Population Distribution		Survey Estimates of Utahns Who Had No Primary Provider or Usual Place of Care		
	Percentage Distribution	Number of Persons ¹	Percentage of Persons With No Primary Provider ²	Number of Persons ^{1, 3}	Percentage Distribution of Persons With No Primary Provider by Category
Usual Doctor or Place of Medical Care					
No One Place	17.8%	354,500			
Has Place, No One Provider	9.9%	197,200			
Family/General Practice	41.5%	825,800			
Other Medical Doctor	27.8%	554,100			
Mid-Level Practitioner	3.0%	60,200			
Total, All Utahns	100.0%	1,991,800			
No Primary Health Care Provider or Usual Place of Care	100.0%	1,991,800	17.8% ± 1.8%	354,500	100.0%
Sex					
Males	49.5%	986,400	21.1% ± 2.9%	208,200	58.7%
Females	50.5%	1,005,400	14.6% ± 2.1%	146,600	41.3%
Total, All Utahns	100.0%	1,991,800	17.8% ± 1.8%	354,500	100.0%
Age Group					
17 and Under	32.6%	648,600	11.8% ± 2.4%	76,800	21.6%
18 to 34	27.2%	541,100	30.3% ± 4.5%	163,800	46.1%
35 to 49	20.3%	403,900	16.4% ± 3.9%	66,300	18.7%
50 to 64	10.6%	211,700	12.4% ± 4.3%	26,100	7.3%
65 and Over	9.4%	186,500	12.0% ± 3.2%	22,400	6.3%
Total, All Utahns	100.0%	1,991,800	17.8% ± 1.8%	354,500	100.0%
Sex and Age					
Males, 17 and Under	16.7%	332,900	12.0% ± 3.5%	39,800	11.2%
Males, 18 to 34	13.4%	267,600	38.7% ± 7.1%	103,500	29.1%
Males, 35 to 49	10.1%	201,200	19.5% ± 6.1%	39,300	11.0%
Males, 50 to 64	5.2%	103,900	17.9% ± 7.6%	18,600	5.2%
Males, 65 and Over	4.1%	80,900	8.6% ± 3.3%	6,900	1.9%
Females, 17 and Under	15.8%	315,700	11.7% ± 3.4%	37,000	10.4%
Females, 18 to 34	13.7%	273,400	22.2% ± 5.2%	60,700	17.1%
Females, 35 to 49	10.2%	202,700	13.2% ± 4.7%	26,800	7.5%
Females, 50 to 64	5.4%	107,900	7.3% ± 4.0%	7,800	2.2%
Females, 65 and Over	5.3%	105,600	14.7% ± 5.0%	15,500	4.4%
Total, All Utahns	100.0%	1,991,800	17.8% ± 1.8%	354,500	100.0%

1 Rounded to the nearest 100 persons.

2 Plus or minus 95% confidence interval

3 Figures in these columns may not sum to the totals because of missing values on the grouping variables.

Table 5. Primary Provider: Percentage of Persons Who Had No Primary Health Care Provider or Usual Place of Care by Selected Demographic Characteristics. Utah 1996.

Demographic Subgroup	Utah Population Distribution		Survey Estimates of Utahns Who Had No Primary Provider or Usual Place of Care			
	Percentage Distribution	Number of Persons ¹	Percentage of Persons With No Primary Provider ²	Number of Persons ^{1,3}	Percentage Distribution of Persons With No Primary Provider by Category	
Local Health District						
Bear River	6.1%	122,300	15.0% ± 3.8%	18,400	5.2%	
Central	2.9%	58,600	12.2% ± 4.0%	7,100	2.0%	
Davis	11.0%	219,900	12.3% ± 3.6%	27,100	7.7%	
Salt Lake	41.3%	823,400	21.1% ± 3.7%	173,400	49.0%	
Southeastern	2.7%	53,500	18.2% ± 4.6%	9,700	2.7%	
Southwest	5.6%	111,100	18.7% ± 4.6%	20,800	5.9%	
Summit	1.1%	22,400	18.2% ± 4.6%	4,100	1.2%	
Tooele	1.4%	26,900	24.2% ± 5.0%	6,500	1.8%	
TriCounty	1.9%	38,500	15.4% ± 4.1%	5,900	1.7%	
Utah County	15.9%	316,200	15.8% ± 4.2%	50,100	14.1%	
Wasatch	0.6%	12,200	14.8% ± 3.8%	1,800	0.5%	
Weber-Morgan	9.4%	186,600	15.6% ± 4.1%	29,200	8.2%	
Total, All Utahns	100.0%	1,991,800	17.8% ± 1.8%	354,500	100.0%	
Health Insurance Status						
Insured	90.5%	1,802,000	15.3% ± 1.7%	275,300	78.7%	
Uninsured	9.5%	189,800	39.1% ± 7.8%	74,300	21.3%	
Total, All Utahns	100.0%	1,991,800	17.8% ± 1.8%	354,500	100.0%	
Persons Who Had Health Insurance						
Excellent/Very Good Health	63.9%	1,273,300	15.4% ± 2.0%	195,800	71.0%	
Good/Fair/Poor Health	26.5%	528,700	15.1% ± 3.3%	80,000	29.0%	
Total Insured	90.5%	1,802,000	15.3% ± 1.7%	275,300	100.0%	
Persons With No Health Insurance						
Excellent/Very Good Health	6.4%	126,800	40.5% ± 9.6%	51,400	68.8%	
Good/Fair/Poor Health	3.2%	63,000	36.9% ± 13.5%	23,300	31.2%	
Total Uninsured	9.5%	189,800	39.1% ± 7.8%	74,200	100.0%	
Household Poverty Level⁴						
<=100%	7.1%	141,400	18.4% ± 5.6%	26,000	7.6%	
101%-200%	27.3%	543,600	21.0% ± 4.0%	114,300	33.3%	
201%-300%	26.8%	533,600	16.5% ± 4.2%	87,900	25.6%	
>=301%	38.8%	772,800	14.9% ± 2.4%	115,300	33.6%	
Total, All Utahns	100.0%	1,991,800	17.8% ± 1.8%	354,500	100.0%	
Income Less Than 100% of Poverty Level						
Excellent/Very Good Health	4.1%	82,200	20.7% ± 8.2%	17,000	64.4%	
Good/Fair/Poor Health	3.0%	59,200	15.8% ± 7.5%	9,400	35.6%	
Total <100% of Poverty Level	7.1%	141,400	18.4% ± 5.6%	26,000	7.6%	
Income Greater Than 100% of Poverty Level						
Excellent/Very Good Health	67.2%	1,337,600	16.9% ± 2.2%	225,400	70.7%	
Good/Fair/Poor Health	25.7%	512,500	18.3% ± 4.2%	93,600	29.3%	
Total >100% of Poverty Level	92.9%	1,850,000	17.2% ± 2.0%	318,800	100.0%	

Table 5. (Continued)

Demographic Subgroup	Utah Population Distribution		Survey Estimates of Utahns Who Had No Primary Provider or Usual Place of Care			
	Percentage Distribution	Number of Persons ¹	Percentage of Persons With No Primary Provider ²		Number of Persons ^{1,3}	Percentage Distribution of Persons With No Primary Provider by Category
Annual Household Income						
<=\$15,000	6.7%	133,300	19.0% ± 5.3%		25,400	7.4%
\$15,000-\$35,000	29.9%	595,300	22.1% ± 3.6%		131,300	38.2%
\$35,000-\$55,000	33.3%	663,300	15.3% ± 3.3%		101,300	29.5%
>=\$55,000	30.1%	599,500	14.3% ± 3.5%		85,700	24.9%
Total, All Utahns	100.0%	1,991,800	17.8% ± 1.8%		354,500	100.0%
Income Under \$15K						
Excellent/Very Good Health	3.5%	69,000	21.7% ± 8.4%		15,000	58.1%
Good/Fair/Poor Health	3.2%	64,300	16.7% ± 6.5%		10,800	41.9%
Total Under \$15K	6.7%	133,300	19.0% ± 5.3%		25,400	100.0%
Income \$15K to \$45K						
Excellent/Very Good Health	32.9%	654,900	20.2% ± 3.2%		132,300	71.5%
Good/Fair/Poor Health	15.4%	305,700	17.3% ± 4.9%		52,800	28.5%
Total \$15K to \$45K	48.2%	960,600	19.3% ± 2.7%		185,300	100.0%
Income Over \$45K						
Excellent/Very Good Health	35.0%	696,300	13.5% ± 3.1%		94,100	70.4%
Good/Fair/Poor Health	10.1%	201,800	19.6% ± 7.7%		39,500	29.6%
Total Over \$45K	45.1%	898,100	14.9% ± 2.9%		133,400	100.0%
Education Level (Age 18 and Over)						
High School Grad or Less	36.5%	490,300	23.9% ± 4.1%		116,900	42.0%
Some College or Vocation Degree	37.3%	501,000	20.7% ± 4.2%		103,500	37.2%
Four-Year College Graduate	26.2%	351,900	16.4% ± 3.7%		57,800	20.8%
Total, Adult Utahns (Age 18+)	100.0%	1,343,200	20.7% ± 2.4%		278,600	100.0%
Marital Status (Age 18 and over)						
Married	68.4%	918,700	17.8% ± 2.7%		163,600	57.9%
Divorced, Widowed, Separated	13.4%	180,000	16.2% ± 3.9%		29,100	10.3%
Never Married	18.2%	244,500	36.7% ± 7.4%		89,800	31.8%
Total, Adult Utahns (Age 18+)	100.0%	1,343,200	20.7% ± 2.4%		278,600	100.0%
Wasatch Front Residence ⁵						
Wasatch Front	77.3%	1,539,500	18.2% ± 2.3%		279,600	78.8%
Non-Wasatch Front	22.7%	452,100	16.6% ± 1.8%		75,000	21.2%
Total, All Utahns	100.0%	1,991,800	17.8% ± 1.8%		354,500	100.0%

1 Rounded to the nearest 100 persons.

2 Plus or minus 95% confidence interval

3 Figures in these columns may not sum to the totals because of missing values on the grouping variables.

4 Household income expressed as a percentage of the federal poverty level.

5 Wasatch Front counties include Salt Lake, Utah, Davis, and Weber counties.

*** Sample size insufficient to produce reliable population estimates.

Table 6. Primary Provider: Percentage of Persons Who Had No Primary Health Care Provider or Usual Place of Care by Access and Health Status. Utah 1996.

Access/Health Status Subgroup	Utah Population Distribution		Survey Estimates of Utahns Who Had No Primary Provider or Usual Place of Care			
	Percentage Distribution	Number of Persons ¹	Percentage of Persons With No Primary Provider ²		Number of Persons ^{1,3}	Percentage Distribution of Persons With No Primary Provider by Category
Any Access Problem						
No Problem Accessing Care	97.6%	1,944,000	***	± ***	***	***
Problem Accessing Care	2.4%	47,800	17.6%	± 1.8%	8,400	2.4%
Total, All Utahns	100.0%	1,991,800	17.8%	± 1.8%	354,500	100.0%
General Health Status						
Very Good, Excellent	70.0%	1,394,300	17.7%	± 2.1%	246,500	69.4%
Good, Fair, Poor	30.0%	597,500	18.2%	± 3.5%	108,800	30.6%
Total, All Utahns	100.0%	1,991,800	17.8%	± 1.8%	354,500	100.0%
SF-12 Physical Health Status Composite Score (Age 18 and Over) ⁴						
Average or Above Average	81.2%	1,090,700	22.0%	± 2.8%	240,400	85.7%
Below Average Physical Health	18.8%	252,500	15.9%	± 5.2%	40,200	14.3%
Total, Adult Utahns (Age 18+)	100.0%	1,343,200	20.7%	± 2.4%	278,600	100.0%
SF-12 Mental Health Status Composite Score (Age 18 and Over) ⁴						
Average or Above Average	83.1%	1,116,200	20.6%	± 2.7%	229,800	82.2%
Below Average Mental Health	16.9%	227,000	21.9%	± 5.8%	49,700	17.8%
Total, Adult Utahns (Age 18+)	100.0%	1,343,200	20.7%	± 2.4%	278,600	100.0%
Presence of a Chronic Medical Condition ⁵						
Medical Condition	20.9%	416,300	14.9%	± 3.0%	62,100	17.7%
No Medical Condition	79.1%	1,575,500	18.4%	± 2.2%	289,400	82.3%
Total, All Utahns	100.0%	1,991,800	17.8%	± 1.8%	354,500	100.0%

1 Rounded to the nearest 100 persons.

2 Plus or minus 95% confidence interval

3 Figures in these columns may not sum to the totals because of missing values on the grouping variables.

4 Medical Outcomes Study (MOS) SF-12 measure for physical and mental health status. For more information, see Bureau of Surveillance and Analysis. (1997). *Health Status in Utah: The Medical Outcomes Study SF-12* (1996 Health Status Survey Report). Salt Lake City, UT: Utah Department of Health.

5 Medical conditions include Alzheimer's disease, asthma, diabetes, chronic obstructive pulmonary disease, arthritis, stroke, heart disease, hearing impairment, vision impairment, and speech impairment.

*** Sample size insufficient to produce reliable population estimates.

Table 7. Point of Health Care Access: Percentage of Persons Who Typically Access Care at a Hospital Emergency Room or Urgent Care Center by Sex and Age. Utah 1996.

	Utah Population Distribution		Survey Estimates of Utahns Who Access Care at Hospital E.R. or Urgent Care Center (U.C.C.)			
			Percentage of Persons Accessing at E.R. or U.C.C. ²		Percentage Distribution of Persons Accessing at E.R. or U.C.C. by Category	
Demographic Subgroup	Percentage Distribution	Number of Persons ¹			Number of Persons ^{1, 3}	
Usual Point of Access for Medical Care						
Doctor's Office	74.8%	1,489,700				
Urgent Care Center	9.2%	182,400				
Public Health Clinic	7.5%	149,600				
Hospital Emergency Room	3.0%	60,400				
Other Hospital	1.8%	35,900				
Military, V.A.	1.2%	23,700				
Nowhere	0.9%	17,100				
Other	2.0%	39,000				
Total, All Utahns	100.0%	1,991,800				
Typical Point of Access is Hospital E.R. or Urgent Care Center						
	100.0%	1,991,800	12.2%	± 1.6%	242,800	100.0%
Sex						
Males	49.5%	986,400	14.2%	± 2.5%	139,600	57.3%
Females	50.5%	1,005,400	10.3%	± 2.2%	103,900	42.7%
Total, All Utahns	100.0%	1,991,800	12.2%	± 1.6%	242,800	100.0%
Age Group						
17 and Under	32.6%	648,600	8.1%	± 1.9%	52,600	22.1%
18 to 34	27.2%	541,100	16.8%	± 3.4%	90,700	38.1%
35 to 49	20.3%	403,900	16.1%	± 4.8%	65,200	27.4%
50 to 64	10.6%	211,700	8.3%	± 4.7%	17,500	7.4%
65 and Over	9.4%	186,500	6.3%	± 2.2%	11,800	5.0%
Total, All Utahns	100.0%	1,991,800	12.2%	± 1.6%	242,800	100.0%
Sex and Age						
Males, 17 and Under	16.7%	332,900	7.4%	± 2.5%	24,500	10.3%
Males, 18 to 34	13.4%	267,600	20.8%	± 5.2%	55,700	23.3%
Males, 35 to 49	10.1%	201,200	18.9%	± 7.2%	38,000	15.9%
Males, 50 to 64	5.2%	103,900	14.0%	± 9.3%	14,500	6.1%
Males, 65 and Over	4.1%	80,900	8.0%	± 4.2%	6,500	2.7%
Females, 17 and Under	15.8%	315,700	8.9%	± 2.9%	28,100	11.8%
Females, 18 to 34	13.7%	273,400	13.0%	± 4.6%	35,600	14.9%
Females, 35 to 49	10.2%	202,700	13.4%	± 6.3%	27,100	11.3%
Females, 50 to 64	5.4%	107,900	3.1%	± 1.6%	3,400	1.4%
Females, 65 and Over	5.3%	105,600	5.1%	± 2.2%	5,400	2.3%
Total, All Utahns	100.0%	1,991,800	12.2%	± 1.6%	242,800	100.0%

1 Rounded to the nearest 100 persons.

2 Plus or minus 95% confidence interval

3 Figures in these columns may not sum to the totals because of missing values on the grouping variables.

Table 8. Point of Health Care Access: Percentage of Persons Who Typically Access Care at a Hospital Emergency Room or Urgent Care Center by Selected Demographic Characteristics. Utah 1996.

Demographic Subgroup	Utah Population Distribution		Survey Estimates of Utahns Who Access Care at Hospital E.R. or Urgent Care Center (U.C.C.)			
	Percentage Distribution	Number of Persons ¹	Percentage of Persons Accessing at E.R. or U.C.C. ²	Percentage of Persons Accessing at E.R. or U.C.C. by Category	Number of Persons ^{1,3}	Percentage of Persons Accessing at E.R. or U.C.C. by Category
Local Health District						
Bear River	6.1%	122,300	8.9% ± 3.3%		10,800	4.4%
Central	2.9%	58,600	10.4% ± 3.4%		6,100	2.5%
Davis	11.0%	219,900	10.1% ± 3.4%		22,100	9.1%
Salt Lake	41.3%	823,400	14.6% ± 3.4%		120,500	49.6%
Southeastern	2.7%	53,500	9.7% ± 3.5%		5,200	2.1%
Southwest	5.6%	111,100	9.6% ± 3.4%		10,700	4.4%
Summit	1.1%	22,400	16.0% ± 4.4%		3,600	1.5%
Tooele	1.4%	26,900	16.2% ± 4.2%		4,400	1.8%
TriCounty	1.9%	38,500	9.5% ± 3.2%		3,600	1.5%
Utah County	15.9%	316,200	8.6% ± 3.1%		27,100	11.1%
Wasatch	0.6%	12,200	12.7% ± 3.3%		1,500	0.6%
Weber-Morgan	9.4%	186,600	14.8% ± 4.2%		27,500	11.3%
Total, All Utahns	100.0%	1,991,800	12.2% ± 1.6%		242,800	100.0%
Health Insurance Status						
Insured	90.5%	1,802,000	11.2% ± 1.7%		202,400	83.6%
Uninsured	9.5%	189,800	20.9% ± 6.4%		39,700	16.4%
Total, All Utahns	100.0%	1,991,800	12.2% ± 1.6%		242,800	100.0%
Household Poverty Level⁴						
<=100%	7.1%	141,400	17.9% ± 6.7%		25,200	10.3%
101%-200%	27.3%	543,600	13.9% ± 3.9%		75,400	30.9%
201%-300%	26.8%	533,600	10.9% ± 3.7%		58,100	23.8%
>=301%	38.8%	772,800	11.1% ± 2.1%		85,700	35.1%
Total, All Utahns	100.0%	1,991,800	12.2% ± 1.6%		242,800	100.0%
Annual Household Income						
<=\$15,000	6.7%	133,300	18.0% ± 6.5%		23,900	9.8%
\$15,000-\$35,000	29.9%	595,300	12.3% ± 3.0%		73,200	29.9%
\$35,000-\$55,000	33.3%	663,300	12.5% ± 3.2%		82,800	33.9%
>=\$55,000	30.1%	599,500	10.8% ± 3.1%		64,600	26.4%
Total, All Utahns	100.0%	1,991,800	12.2% ± 1.6%		242,800	100.0%
Education Level (Age 18 and Over)						
High School Grad or Less	36.5%	490,300	17.1% ± 3.9%		83,600	44.0%
Some College or Vocation Degree	37.3%	501,000	12.5% ± 3.6%		62,600	32.9%
Four-Year College Graduate	26.2%	351,900	12.5% ± 4.0%		43,800	23.1%
Total, Adult Utahns (Age 18+)	100.0%	1,343,200	13.8% ± 2.2%		185,800	100.0%
Marital Status (Age 18 and over)						
Married	68.4%	918,700	12.5% ± 2.7%		114,700	59.6%
Divorced, Widowed, Separated	13.4%	180,000	15.8% ± 5.7%		28,400	14.8%
Never Married	18.2%	244,500	20.1% ± 5.7%		49,200	25.6%
Total, Adult Utahns (Age 18+)	100.0%	1,343,200	13.8% ± 2.2%		185,800	100.0%
Wasatch Front Residence⁵						
Wasatch Front	77.3%	1,539,500	12.7% ± 2.1%		196,100	80.8%
Non-Wasatch Front	22.7%	452,100	10.3% ± 1.5%		46,700	19.2%
Total, All Utahns	100.0%	1,991,800	12.2% ± 1.6%		242,800	100.0%

1 Rounded to the nearest 100 persons.

2 Plus or minus 95% confidence interval

3 Figures in these columns may not sum to the totals because of missing values on the grouping variables.

4 Household income expressed as a percentage of the federal poverty level.

5 Wasatch Front counties include Salt Lake, Utah, Davis, and Weber counties.

Table 9. Point of Health Care Access: Percentage of Persons Who Typically Access Care at a Hospital Emergency Room or Urgent Care Center by Primary Provider, Access and Health Status. Utah 1996.

Primary Provider/Access/ Health Status Subgroup	Utah Population Distribution		Survey Estimates of Utahns Who Access Care at Hospital E.R. or Urgent Care Center (U.C.C.)			
	Percentage Distribution	Number of Persons ¹	Percentage of Persons Accessing at E.R. or U.C.C. ²	± Percentage Interval ³	Number of Persons ^{1, 3}	Percentage Distribution of Persons Accessing at E.R. or U.C.C. by Category
Primary Provider or Usual Place of Care						
Has Primary Provider	82.2%	1,637,300	9.1%	± 1.7%	148,300	59.9%
No Primary Provider	17.8%	354,500	28.0%	± 5.2%	99,100	40.1%
Total, All Utahns	100.0%	1,991,800	12.2%	± 1.6%	242,800	100.0%
Any Access Problem						
No Problem Accessing Care	97.6%	1,944,000	11.9%	± 1.7%	231,500	95.0%
Problem Accessing Care	2.4%	47,800	25.3%	± 12.4%	12,100	5.0%
Total, All Utahns	100.0%	1,991,800	12.2%	± 1.6%	242,800	100.0%
General Health Status						
Very Good, Excellent	70.0%	1,394,300	12.3%	± 2.0%	170,900	70.3%
Good, Fair, Poor	30.0%	597,500	12.1%	± 3.0%	72,300	29.7%
Total, All Utahns	100.0%	1,991,800	12.2%	± 1.6%	242,800	100.0%
SF-12 Physical Health Status Composite Score (Age 18 and Over)⁴						
Average or Above Average	81.2%	1,090,700	13.7%	± 2.4%	149,800	79.8%
Below Average Physical Health	18.8%	252,500	15.1%	± 5.8%	38,000	20.2%
Total, Adult Utahns (Age 18+)	100.0%	1,343,200	13.8%	± 2.2%	185,800	100.0%
SF-12 Mental Health Status Composite Score (Age 18 and Over)⁴						
Average or Above Average	83.1%	1,116,200	13.4%	± 2.4%	150,000	79.7%
Below Average Mental Health	16.9%	227,000	16.8%	± 6.2%	38,200	20.3%
Total, Adult Utahns (Age 18+)	100.0%	1,343,200	13.8%	± 2.2%	185,800	100.0%
Presence of a Chronic Medical Condition⁵						
Medical Condition	20.9%	416,300	13.0%	± 3.7%	54,000	22.4%
No Medical Condition	79.1%	1,575,500	11.9%	± 1.8%	187,300	77.6%
Total, All Utahns	100.0%	1,991,800	12.2%	± 1.6%	242,800	100.0%

1 Rounded to the nearest 100 persons.

2 Plus or minus 95% confidence interval

3 Figures in these columns may not sum to the totals because of missing values on the grouping variables.

4 Medical Outcomes Study (MOS) SF-12 measure for physical and mental health status. For more information, see Bureau of Surveillance and Analysis. (1997). *Health Status in Utah: The Medical Outcomes Study SF-12* (1996 Health Status Survey Report). Salt Lake City, UT: Utah Department of Health.

5 Medical conditions include Alzheimer's disease, asthma, diabetes, chronic obstructive pulmonary disease, arthritis, stroke, heart disease, hearing impairment, vision impairment, and speech impairment.

**Table 10. Characteristics of the Most Recent Medical and Hospital Visits
Utah 1996.**

Characteristic	Survey Estimates for Characteristics of Most Recent Medical Visit	
	Percentage Distribution ²	Number of Persons ^{1, 3}
Had a visit with a medical doctor in the previous 12 months?		
Had a visit	81.6% ± 4.2%	1,625,300
Did not have a visit	18.4% ± 4.2%	366,500
	100.0%	1,991,800
Location of Most Recent Medical Visit		
Doctor's Office	68.3% ± 5.2%	1,109,400
Urgent Care Center	11.0% ± 3.9%	179,400
Public Clinic	6.1% ± 2.5%	99,500
Hospital Emergency Room	6.3% ± 2.9%	101,600
Other Hospital	1.5% ± 1.0%	25,000
Other	6.8% ± 2.7%	110,400
Total, All Utahns Who Had a Medical Visit	100.0%	1,625,300
Type of Clinician Who Provided Care (Most Recent Medical Visit)		
Medical Doctor	87.9% ± 3.7%	1,428,600
Nurse Practitioner/Physician's Assistant	11.0% ± 3.6%	179,300
Someone Else	1.1% ± 0.9%	17,400
Total, All Utahns Who Had a Medical Visit	100.0%	1,625,300
Was Most Recent Medical Visit Covered by Health Insurance? (Insured Persons With Medical Visit Only)		
Visit Covered	88.0% ± 4.6%	1,430,400
Visit Not Covered	12.0% ± 4.6%	194,900
Total, All Insured Utahns Who Had a Medical Visit	100.0%	1,625,300
Was There Surgery During the Visit (Including Bone Setting or Stitches)?		
Yes	7.6% ± 3.5%	124,000
No	92.4% ± 3.5%	1,501,300
Total, All Utahns Who Had a Medical Visit	100.0%	1,625,300
Had an overnight hospital stay in the previous 12 months?		
Had a visit	3.8% ± 1.4%	76,100
Did not have a visit	96.2% ± 1.4%	1,915,700
	100.0%	1,991,800
Was Hospital Visit Covered by Health Insurance? (Insured Persons Only With Hospital Stay Only)		
Visit Covered	95.0% ± 9.6%	72,300
Visit Not Covered	*** ± ***	***
Total, All Insured Utahns Who Had a Hospital Visit	100.0%	76,100

1 Rounded to the nearest 100 persons.

2 Plus or minus 95% confidence interval

3 Figures in these columns may not sum to the totals because of missing values on the grouping variables.

*** Sample size insufficient to produce reliable population estimates.

Table 11. Number of Medical Visits: Number of Outpatient Medical Visits in the Past 12 Months* by Sex and Age. Utah 1996.

Demographic Subgroup	Utah Population Distribution		Survey Estimates of Number of Medical Visits in Past 12 Months		
	Percentage Distribution	Number of Persons ¹	Average Number of Medical Visits, Past 12 Months ²	Number of Medical Visits ^{1,3}	Percentage Distribution of Medical Visits by Category
Number of Medical Visits in the Previous 12 Months					
None	18.4%	366,500			
One to Three	53.3%	1,061,000			
Four or More	28.3%	564,300			
Total, All Utahns	100.0%	1,991,800			
Number of Medical Visits in the Previous 12 Months	100.0%	1,991,800	3.4 ± 0.4	6,831,900	100.0%
Sex					
Males	49.5%	986,400	2.9 ± 0.6	2,870,400	41.8%
Females	50.5%	1,005,400	4.0 ± 0.6	3,991,400	58.2%
Total, All Utahns	100.0%	1,991,800	3.4 ± 0.4	6,831,900	100.0%
Age Group					
17 and Under	32.6%	648,600	3.3 ± 0.6	2,108,000	30.2%
18 to 34	27.2%	541,100	3.6 ± 0.9	1,931,700	27.7%
35 to 49	20.3%	403,900	2.7 ± 0.8	1,082,500	15.5%
50 to 64	10.6%	211,700	3.5 ± 0.9	741,000	10.6%
65 and Over	9.4%	186,500	6.0 ± 2.5	1,109,700	15.9%
Total, All Utahns	100.0%	1,991,800	3.4 ± 0.4	6,831,900	100.0%
Sex and Age					
Males, 17 and Under	16.7%	332,900	3.1 ± 0.7	1,045,300	14.9%
Males, 18 to 34	13.4%	267,600	2.1 ± 0.8	548,600	7.8%
Males, 35 to 49	10.1%	201,200	2.0 ± 0.9	396,400	5.7%
Males, 50 to 64	5.2%	103,900	3.4 ± 1.2	352,200	5.0%
Males, 65 and Over	4.1%	80,900	7.4 ± 4.4	600,300	8.6%
Females, 17 and Under	15.8%	315,700	3.4 ± 1.1	1,060,800	15.1%
Females, 18 to 34	13.7%	273,400	5.1 ± 1.3	1,402,500	20.0%
Females, 35 to 49	10.2%	202,700	3.5 ± 1.5	715,500	10.2%
Females, 50 to 64	5.4%	107,900	3.6 ± 1.2	389,500	5.6%
Females, 65 and Over	5.3%	105,600	4.7 ± 2.5	493,200	7.0%
Total, All Utahns	100.0%	1,991,800	3.4 ± 0.4	6,831,900	100.0%

1 Rounded to the nearest 100 persons.

2 Plus or minus 95% confidence interval

3 Figures in these columns may not sum to the totals because of missing values on the grouping variables.

Note: Number of visits does not include overnight hospital stays.

* Outpatient medical visits included visits with a medical doctor, defined as, "general practitioners, as well as specialists (such as dermatologists, etc.) and osteopaths. Do not include visits to a dentist, chiropractor, psychotherapist, or other non-medical doctors."

Table 12. Number of Medical Visits: Number of Outpatient Medical Visits in the Past 12 Months*
by Selected Demographic Characteristics. Utah 1996.

Demographic Subgroup	Utah Population Distribution		Survey Estimates of Number of Medical Visits in Past 12 Months		
	Percentage Distribution	Number of Persons ¹	Total		
			Average Number of Medical Visits, Past 12 Months ²	Number of Medical Visits ^{1,3}	Percentage Distribution of Medical Visits by Category
Local Health District					
Bear River	6.1%	122,300	2.8 ± 1.0	347,300	5.1%
Central	2.9%	58,600	4.1 ± 1.9	242,000	3.5%
Davis	11.0%	219,900	3.1 ± 1.0	681,700	10.0%
Salt Lake	41.3%	823,400	3.3 ± 0.7	2,684,300	39.3%
Southeastern	2.7%	53,500	4.0 ± 1.9	212,400	3.1%
Southwest	5.6%	111,100	3.2 ± 1.6	354,400	5.2%
Summit	1.1%	22,400	5.0 ± 2.4	112,000	1.6%
Tooele	1.4%	26,900	5.0 ± 2.5	134,000	2.0%
TriCounty	1.9%	38,500	2.0 ± 0.7	75,100	1.1%
Utah County	15.9%	316,200	3.1 ± 1.1	967,600	14.2%
Wasatch	0.6%	12,200	3.9 ± 1.6	47,700	0.7%
Weber-Morgan	9.4%	186,600	5.2 ± 2.0	975,900	14.3%
Total, All Utahns	100.0%	1,991,800	3.4 ± 0.4	6,831,900	100.0%
Health Insurance Status					
Insured	90.5%	1,802,000	3.4 ± 0.5	6,180,900	91.6%
Uninsured	9.5%	189,800	3.0 ± 0.9	563,700	8.4%
Total, All Utahns	100.0%	1,991,800	3.4 ± 0.4	6,831,900	100.0%
Household Poverty Level ⁴					
<=100%	7.1%	141,400	5.7 ± 2.3	807,400	11.8%
101%-200%	27.3%	543,600	4.0 ± 0.9	2,179,800	31.8%
201%-300%	26.8%	533,600	3.0 ± 0.9	1,574,100	22.9%
>=301%	38.8%	772,800	3.0 ± 0.6	2,302,900	33.5%
Total, All Utahns	100.0%	1,991,800	3.4 ± 0.4	6,831,900	100.0%
Annual Household Income					
<=\$15,000	6.7%	133,300	5.5 ± 2.3	735,800	10.8%
\$15,000-\$35,000	29.9%	595,300	4.5 ± 1.0	2,684,800	39.4%
\$35,000-\$55,000	33.3%	663,300	2.8 ± 0.7	1,824,100	26.8%
>=\$55,000	30.1%	599,500	2.6 ± 0.5	1,570,700	23.0%
Total, All Utahns	100.0%	1,991,800	3.4 ± 0.4	6,831,900	100.0%
Education Level (Age 18 and Over)					
High School Grad or Less	36.5%	490,300	3.6 ± 1.0	1,779,800	37.3%
Some College or Vocation Degree	37.3%	501,000	3.5 ± 0.8	1,773,500	37.2%
Four-Year College Graduate	26.2%	351,900	3.5 ± 1.2	1,214,100	25.5%
Total, Adult Utahns (Age 18+)	100.0%	1,343,200	3.5 ± 0.6	4,754,900	100.0%
Marital Status (Age 18 and over)					
Married	68.4%	918,700	3.7 ± 0.7	3,353,300	70.7%
Divorced, Widowed, Separated	13.4%	180,000	4.3 ± 1.6	770,400	16.2%
Never Married	18.2%	244,500	2.5 ± 1.1	621,000	13.1%
Total, Adult Utahns (Age 18+)	100.0%	1,343,200	3.5 ± 0.6	4,754,900	100.0%
Wasatch Front Residence ⁵					
Wasatch Front	77.3%	1,539,500	3.4 ± 0.5	5,249,700	76.8%
Non-Wasatch Front	22.7%	452,100	3.5 ± 0.7	1,586,900	23.2%
Total, All Utahns	100.0%	1,991,800	3.4 ± 0.4	6,831,900	100.0%

1 Rounded to the nearest 100 persons.

2 Plus or minus 95% confidence interval

3 Figures in these columns may not sum to the totals because of missing values on the grouping variables.

4 Household income expressed as a percentage of the federal poverty level.

5 Wasatch Front counties include Salt Lake, Utah, Davis, and Weber counties.

Note: Number of visits does not include overnight hospital stays.

* Outpatient medical visits included visits with a medical doctor, defined as, "general practitioners, as well as specialists (such as dermatologists, etc.) and osteopaths. Do not include visits to a dentist, chiropractor, psychotherapist, or other non-medical doctors."

Table 13. Number of Medical Visits: Number of Outpatient Medical Visits in the Past 12 Months*
by Primary Provider, Access and Health Status. Utah 1996.

Demographic Subgroup	Utah Population Distribution		Survey Estimates of Number of Medical Visits in Past 12 Months		
	Percentage Distribution	Number of Persons ¹	Average Number of Medical Visits, Past 12 Months ²	Total Number of Medical Visits ^{1,3}	Percentage Distribution of Medical Visits by Category
Primary Provider or Usual Place of Care					
Has Primary Provider	82.2%	1,637,300	3.6 ± 0.5	5,812,400	85.4%
No Primary Provider	17.8%	354,500	2.8 ± 0.8	996,100	14.6%
Total, All Utahns	100.0%	1,991,800	3.4 ± 0.4	6,831,900	100.0%
Any Access Problem					
No Problem Accessing Care	97.6%	1,944,000	*** ± ***	***	***
Problem Accessing Care	2.4%	47,800	3.4 ± 0.4	163,000	2.4%
Total, All Utahns	100.0%	1,991,800	3.4 ± 0.4	6,831,900	100.0%
General Health Status					
Very Good, Excellent	70.0%	1,394,300	2.7 ± 0.3	3,722,800	52.5%
Good, Fair, Poor	30.0%	597,500	5.6 ± 1.4	3,369,900	47.5%
Total, All Utahns	100.0%	1,991,800	3.4 ± 0.4	6,831,900	100.0%
SF-12 Physical Health Status Composite Score (Age 18 and Over) ⁴					
Average or Above Average	81.2%	1,090,700	2.6 ± 0.5	2,857,600	62.1%
Below Average Physical Health	18.8%	252,500	6.9 ± 2.1	1,742,300	37.9%
Total, Adult Utahns (Age 18+)	100.0%	1,343,200	3.5 ± 0.6	4,754,900	100.0%
SF-12 Mental Health Status Composite Score (Age 18 and Over) ⁴					
Average or Above Average	83.1%	1,116,200	3.3 ± 0.6	3,650,000	75.7%
Below Average Mental Health	16.9%	227,000	5.2 ± 1.8	1,173,600	24.3%
Total, Adult Utahns (Age 18+)	100.0%	1,343,200	3.5 ± 0.6	4,754,900	100.0%
Presence of a Chronic Medical Condition ⁵					
Medical Condition	20.9%	416,300	6.3 ± 1.6	2,614,400	37.0%
No Medical Condition	79.1%	1,575,500	2.8 ± 0.4	4,442,900	63.0%
Total, All Utahns	100.0%	1,991,800	3.4 ± 0.4	6,831,900	100.0%

1 Rounded to the nearest 100 persons.

2 Plus or minus 95% confidence interval

3 Figures in these columns may not sum to the totals because of missing values on the grouping variables.

4 Medical Outcomes Study (MOS) SF-12 measure for physical and mental health status. For more information, see Bureau of Surveillance and Analysis. (1997). *Health Status in Utah: The Medical Outcomes Study SF-12* (1996 Health Status Survey Report). Salt Lake City, UT: Utah Department of Health.

5 Medical conditions include Alzheimer's disease, asthma, diabetes, chronic obstructive pulmonary disease, arthritis, stroke, heart disease, hearing impairment, vision impairment, and speech impairment.

Note: Number of visits does not include overnight hospital stays.

* Outpatient medical visits included visits with a medical doctor, defined as, "general practitioners, as well as specialists (such as dermatologists, etc.) and osteopaths. Do not include visits to a dentist, chiropractor, psychotherapist, or other non-medical doctors."

*** Sample size insufficient to produce reliable population estimates.

Table 14. Routine Preventive Health Care: Percentage of Persons Who Had a Routine Preventive Health Visit in the Past 12 Months by Sex and Age. Utah 1996.

	Utah Population Distribution		Survey Estimates of Utahns Who Had a Routine Preventive Visit in the Past 12 Months			
					Percentage Distribution of Persons With Preventive Visit	
Demographic Subgroup	Percentage Distribution	Number of Persons ¹	Percentage of Persons With Preventive Visit ²	Number of Persons ^{1, 3}		by Category
Routine Preventive Health Visit in the Previous 12 Months?						
Had Preventive Health Visit	55.8%	1,110,400				
No Preventive Health Visit	44.3%	881,400				
Total, All Utahns	100.0%	1,991,800				
Had Routine Preventive Health Visit in the Previous 12 Months						
	100.0%	1,991,800	55.8%	± 5.5%	1,110,400	100.0%
Sex						
Males	49.5%	986,400	52.5%	± 8.4%	518,000	46.6%
Females	50.5%	1,005,400	59.2%	± 7.1%	594,700	53.4%
Total, All Utahns	100.0%	1,991,800	55.8%	± 5.5%	1,110,400	100.0%
Age Group						
17 and Under	32.6%	648,600	54.9%	± 9.0%	355,800	31.9%
18 to 34	27.2%	541,100	50.0%	± 11.3%	270,500	24.2%
35 to 49	20.3%	403,900	51.6%	± 13.2%	208,300	18.7%
50 to 64	10.6%	211,700	57.8%	± 18.8%	122,300	11.0%
65 and Over	9.4%	186,500	85.5%	± 5.9%	159,400	14.3%
Total, All Utahns	100.0%	1,991,800	55.8%	± 5.5%	1,110,400	100.0%
Sex and Age						
Males, 17 and Under	16.7%	332,900	55.7%	± 13.3%	185,500	16.6%
Males, 18 to 34	13.4%	267,600	41.0%	± 16.2%	109,700	9.8%
Males, 35 to 49	10.1%	201,200	52.7%	± 19.2%	106,100	9.5%
Males, 50 to 64	5.2%	103,900	42.5%	± 27.9%	44,200	4.0%
Males, 65 and Over	4.1%	80,900	93.5%	± 5.3%	75,600	6.8%
Females, 17 and Under	15.8%	315,700	53.9%	± 12.1%	170,300	15.3%
Females, 18 to 34	13.7%	273,400	59.4%	± 15.4%	162,300	14.5%
Females, 35 to 49	10.2%	202,700	50.2%	± 17.3%	101,800	9.1%
Females, 50 to 64	5.4%	107,900	72.4%	± 14.8%	78,100	7.0%
Females, 65 and Over	5.3%	105,600	78.7%	± 9.0%	83,100	7.4%
Total, All Utahns	100.0%	1,991,800	55.8%	± 5.5%	1,110,400	100.0%

1 Rounded to the nearest 100 persons.

2 Plus or minus 95% confidence interval

3 Figures in these columns may not sum to the totals because of missing values on the grouping variables.

Note: A routine preventive health visit was described to the respondent as a "well visit, that is a routine medical check-up."

Table 15. Routine Preventive Health Care: Percentage of Persons Who Had a Routine Preventive Health Visit in the Past 12 Months by Selected Demographic Characteristics. Utah 1996.

Demographic Subgroup	Utah Population Distribution		Survey Estimates of Utahns Who Had a Routine Preventive Visit in the Past 12 Months			
	Percentage Distribution	Number of Persons ¹	Percentage of Persons With Preventive Visit ²	Number of Persons ^{1,3}	Percentage Distribution of Persons With Preventive Visit by Category	
Local Health District						
Bear River	6.1%	122,300	54.8%	± 14.1%	67,000	6.0%
Central	2.9%	58,600	63.0%	± 13.3%	36,900	3.3%
Davis	11.0%	219,900	53.5%	± 12.5%	117,600	10.6%
Salt Lake	41.3%	823,400	55.3%	± 10.9%	455,400	41.0%
Southeastern	2.7%	53,500	63.5%	± 13.4%	33,900	3.1%
Southwest	5.6%	111,100	55.1%	± 13.9%	61,200	5.5%
Summit	1.1%	22,400	66.6%	± 12.4%	14,900	1.3%
Tooele	1.4%	26,900	60.6%	± 14.7%	16,300	1.5%
TriCounty	1.9%	38,500	52.9%	± 15.0%	20,400	1.8%
Utah County	15.9%	316,200	50.7%	± 13.2%	160,200	14.4%
Wasatch	0.6%	12,200	54.8%	± 13.3%	6,700	0.6%
Weber-Morgan	9.4%	186,600	64.0%	± 13.2%	119,500	10.8%
Total, All Utahns	100.0%	1,991,800	55.8%	± 5.5%	1,110,400	100.0%
Health Insurance Status						
Insured	90.5%	1,802,000	55.6%	± 5.9%	1,002,100	90.4%
Uninsured	9.5%	189,800	56.0%	± 16.3%	106,200	9.6%
Total, All Utahns	100.0%	1,991,800	55.8%	± 5.5%	1,110,400	100.0%
Household Poverty Level ⁴						
<=100%	7.1%	141,400	64.5%	± 20.8%	91,300	8.0%
101%-200%	27.3%	543,600	63.8%	± 9.7%	347,000	30.5%
201%-300%	26.8%	533,600	40.9%	± 10.6%	218,100	19.2%
>=301%	38.8%	772,800	62.3%	± 8.8%	481,100	42.3%
Total, All Utahns	100.0%	1,991,800	55.8%	± 5.5%	1,110,400	100.0%
Annual Household Income ⁵						
<=\$15,000	6.7%	133,300	69.5%	± 20.2%	92,700	8.3%
\$15,000-\$35,000	29.9%	595,300	58.7%	± 9.2%	349,400	31.4%
\$35,000-\$55,000	33.3%	663,300	54.5%	± 9.7%	361,400	32.4%
>=\$55,000	30.1%	599,500	51.8%	± 11.3%	310,700	27.9%
Total, All Utahns	100.0%	1,991,800	55.8%	± 5.5%	1,110,400	100.0%
Education Level (Age 18 and Over)						
High School Grad or Less	36.5%	490,300	57.4%	± 11.4%	281,400	37.5%
Some College or Vocation Degree	37.3%	501,000	52.0%	± 11.2%	260,500	34.7%
Four-Year College Graduate	26.2%	351,900	59.5%	± 13.8%	209,500	27.9%
Total, Adult Utahns (Age 18+)	100.0%	1,343,200	56.0%	± 7.0%	751,500	100.0%
Marital Status (Age 18 and over)						
Married	68.4%	918,700	57.9%	± 8.7%	531,800	70.4%
Divorced, Widowed, Separated	13.4%	180,000	66.5%	± 13.4%	119,600	15.8%
Never Married	18.2%	244,500	42.4%	± 15.2%	103,600	13.7%
Total, Adult Utahns (Age 18+)	100.0%	1,343,200	56.0%	± 7.0%	751,500	100.0%
Wasatch Front Residence ⁵						
Wasatch Front	77.3%	1,539,500	55.3%	± 6.9%	850,900	76.7%
Non-Wasatch Front	22.7%	452,100	57.3%	± 6.1%	259,200	23.3%
Total, All Utahns	100.0%	1,991,800	55.8%	± 5.5%	1,110,400	100.0%

1 Rounded to the nearest 100 persons.

2 Plus or minus 95% confidence interval

3 Figures in these columns may not sum to the totals because of missing values on the grouping variables.

4 Household income expressed as a percentage of the federal poverty level.

5 Wasatch Front counties include Salt Lake, Utah, Davis, and Weber counties.

Note: A routine preventive health visit was described to the respondent as a "well visit, that is a routine medical check-up."

Table 16. Routine Preventive Health Care: Percentage of Persons Who Had a Routine Preventive Health Visit in the Past 12 Months by Primary Provider, Access and Health Status. Utah 1996.

Primary Provider/Access/ Health Status Subgroup	Utah Population Distribution		Survey Estimates of Utahns Who Had a Routine Preventive Visit in the Past 12 Months			
	Percentage Distribution	Number of Persons ¹	Percentage of Persons With Preventive Visit ²		Number of Persons ^{1,3}	Percentage Distribution of Persons With Preventive Visit by Category
Primary Provider or Usual Place of Care						
Has Primary Provider	82.2%	1,637,300	59.0%	± 6.1%	966,300	86.7%
No Primary Provider	17.8%	354,500	41.9%	± 13.9%	148,600	13.3%
Total, All Utahns	100.0%	1,991,800	55.8%	± 5.5%	1,110,400	100.0%
Any Access Problem						
No Problem Accessing Care	97.6%	1,944,000	55.7%	± 5.6%	1,083,000	97.1%
Problem Accessing Care	2.4%	47,800	68.1%	± 26.2%	32,600	2.9%
Total, All Utahns	100.0%	1,991,800	55.8%	± 5.5%	1,110,400	100.0%
General Health Status						
Very Good, Excellent	70.0%	1,394,300	54.8%	± 6.6%	763,800	68.6%
Good, Fair, Poor	30.0%	597,500	58.6%	± 10.0%	350,000	31.4%
Total, All Utahns	100.0%	1,991,800	55.8%	± 5.5%	1,110,400	100.0%
SF-12 Physical Health Status Composite Score (Age 18 and Over) ⁴						
Average or Above Average	81.2%	1,090,700	55.7%	± 8.2%	607,600	80.6%
Below Average Physical Health	18.8%	252,500	57.8%	± 14.5%	145,800	19.4%
Total, Adult Utahns (Age 18+)	100.0%	1,343,200	56.0%	± 7.0%	751,500	100.0%
SF-12 Mental Health Status Composite Score (Age 18 and Over) ⁴						
Average or Above Average	83.1%	1,116,200	54.2%	± 7.9%	604,400	79.5%
Below Average Mental Health	16.9%	227,000	68.7%	± 13.8%	156,000	20.5%
Total, Adult Utahns (Age 18+)	100.0%	1,343,200	56.0%	± 7.0%	751,500	100.0%
Presence of a Chronic Medical Condition ⁵						
Medical Condition	20.9%	416,300	72.8%	± 9.6%	303,100	26.9%
No Medical Condition	79.1%	1,575,500	52.2%	± 6.4%	821,900	73.1%
Total, All Utahns	100.0%	1,991,800	55.8%	± 5.5%	1,110,400	100.0%

1 Rounded to the nearest 100 persons.

2 Plus or minus 95% confidence interval

3 Figures in these columns may not sum to the totals because of missing values on the grouping variables.

4 Medical Outcomes Study (MOS) SF-12 measure for physical and mental health status. For more information, see Bureau of Surveillance and Analysis. (1997). *Health Status in Utah: The Medical Outcomes Study SF-12* (1996 Health Status Survey Report). Salt Lake City, UT: Utah Department of Health.

5 Medical conditions include Alzheimer's disease, asthma, diabetes, chronic obstructive pulmonary disease, arthritis, stroke, heart disease, hearing impairment, vision impairment, and speech impairment.

Note: A routine preventive health visit was described to the respondent as a "well visit, that is a routine medical check-up."

Table 17. Hospitalization: Percentage of Persons Who Had An Overnight Hospital Stay in the Past 12 Months by Sex and Age. Utah 1996.

Demographic Subgroup	Utah Population Distribution		Survey Estimates of Utahns Who Were Hospitalized in the Previous 12 Months		
	Percentage Distribution	Number of Persons ¹	Percentage of Persons Who Had Been Hospitalized ²	Number of Persons ^{1, 3}	Percentage Distribution of Persons Who Had Been Hospitalized by Category
Overnight Hospital Stay in the Previous 12 Months?					
Hospital Stay	3.8%	76,100			
No Hospital Stay	96.2%	1,915,700			
Total, All Utahns	100.0%	1,991,800			
Had Overnight Hospital Stay in the Previous 12 Months	100.0%	1,991,800	3.8% ± 1.4%	76,100	100.0%
Sex					
Males	49.5%	986,400	3.3% ± 2.2%	32,600	42.7%
Females	50.5%	1,005,400	4.4% ± 1.8%	43,800	57.3%
Total, All Utahns	100.0%	1,991,800	3.8% ± 1.4%	76,100	100.0%
Age Group					
17 and Under	32.6%	648,600	2.7% ± 1.4%	17,800	23.4%
18 to 34	27.2%	541,100	*** ± ***	***	***
35 to 49	20.3%	403,900	2.3% ± 2.2%	9,400	12.4%
50 to 64	10.6%	211,700	5.0% ± 4.3%	10,500	13.8%
65 and Over	9.4%	186,500	19.2% ± 12.2%	35,700	46.9%
Total, All Utahns	100.0%	1,991,800	3.8% ± 1.4%	76,100	100.0%
Sex and Age					
Males, 17 and Under	16.7%	332,900	2.0% ± 1.5%	6,700	8.8%
Males, 18 to 34	13.4%	267,600	*** ± ***	***	***
Males, 35 to 49	10.1%	201,200	*** ± ***	***	***
Males, 50 to 64	5.2%	103,900	*** ± ***	***	***
Males, 65 and Over	4.1%	80,900	25.0% ± 23.1%	20,200	26.5%
Females, 17 and Under	15.8%	315,700	3.6% ± 2.6%	11,300	14.8%
Females, 18 to 34	13.7%	273,400	*** ± ***	***	***
Females, 35 to 49	10.2%	202,700	*** ± ***	***	***
Females, 50 to 64	5.4%	107,900	*** ± ***	***	***
Females, 65 and Over	5.3%	105,600	14.2% ± 9.9%	15,000	19.7%
Total, All Utahns	100.0%	1,991,800	3.8% ± 1.4%	76,100	100.0%

1 Rounded to the nearest 100 persons.

2 Plus or minus 95% confidence interval

3 Figures in these columns may not sum to the totals because of missing values on the grouping variables.

Note: An overnight hospital stay was defined as being "a patient in a hospital overnight for any reason other than giving birth."

*** Sample size insufficient to produce reliable population estimates.

Table 18. Hospitalization: Percentage of Persons Who Had An Overnight Hospital Stay in the Past 12 Months by Selected Demographic Characteristics. Utah 1996.

Demographic Subgroup	Utah Population Distribution		Survey Estimates of Utahns Who Were Hospitalized in the Past 12 Months			
	Percentage Distribution	Number of Persons ¹	Percentage of Persons Who Had Been Hospitalized ²	Number of Persons ^{1,3}	Percentage Distribution of Persons Who Had Been Hospitalized by Category	
Local Health District						
Bear River	6.1%	122,300	1.9% ± 1.8%	2,400	3.2%	
Central	2.9%	58,600	11.3% ± 8.9%	6,600	8.7%	
Davis	11.0%	219,900	4.3% ± 3.9%	9,500	12.5%	
Salt Lake	41.3%	823,400	*** ± ***	***	***	
Southeastern	2.7%	53,500	6.7% ± 6.6%	3,600	4.7%	
Southwest	5.6%	111,100	5.5% ± 4.1%	6,100	8.0%	
Summit	1.1%	22,400	2.6% ± 2.6%	600	0.8%	
Tooele	1.4%	26,900	11.1% ± 8.1%	3,000	3.9%	
TriCounty	1.9%	38,500	6.9% ± 5.2%	2,600	3.4%	
Utah County	15.9%	316,200	*** ± ***	***	***	
Wasatch	0.6%	12,200	9.6% ± 7.1%	1,200	1.6%	
Weber-Morgan	9.4%	186,600	10.7% ± 7.1%	20,000	26.3%	
Total, All Utahns	100.0%	1,991,800	3.8% ± 1.4%	76,100	100.0%	
Health Insurance Status						
Insured	90.5%	1,802,000	3.9% ± 1.5%	70,300	92.4%	
Uninsured	9.5%	189,800	*** ± ***	***	***	
Total, All Utahns	100.0%	1,991,800	3.8% ± 1.4%	76,100	100.0%	
Household Poverty Level⁴						
≤100%	7.1%	141,400	11.1% ± 7.9%	15,700	20.6%	
101%-200%	27.3%	543,600	3.8% ± 2.4%	20,400	26.8%	
201%-300%	26.8%	533,600	*** ± ***	***	***	
≥301%	38.8%	772,800	3.2% ± 1.7%	24,900	32.7%	
Total, All Utahns	100.0%	1,991,800	3.8% ± 1.4%	76,100	100.0%	
Annual Household Income						
≤\$15,000	6.7%	133,300	11.4% ± 7.8%	15,200	20.1%	
\$15,000-\$35,000	29.9%	595,300	6.2% ± 4.1%	37,000	48.8%	
\$35,000-\$55,000	33.3%	663,300	1.5% ± 1.0%	9,600	12.7%	
≥\$55,000	30.1%	599,500	2.3% ± 1.8%	14,000	18.5%	
Total, All Utahns	100.0%	1,991,800	3.8% ± 1.4%	76,100	100.0%	
Education Level (Age 18 and Over)						
High School Grad or Less	36.5%	490,300	4.8% ± 2.9%	23,500	39.7%	
Some College or Vocation Degree	37.3%	501,000	3.1% ± 2.2%	15,400	26.0%	
Four-Year College Graduate	26.2%	351,900	*** ± ***	***	***	
Total, Adult Utahns (Age 18+)	100.0%	1,343,200	4.4% ± 2.0%	59,200	100.0%	
Marital Status (Age 18 and over)						
Married	68.4%	918,700	4.0% ± 2.5%	36,700	62.0%	
Divorced, Widowed, Separated	13.4%	180,000	11.2% ± 6.6%	20,200	34.1%	
Never Married	18.2%	244,500	*** ± ***	***	***	
Total, Adult Utahns (Age 18+)	100.0%	1,343,200	4.4% ± 2.0%	59,200	100.0%	
Wasatch Front Residence⁵						
Wasatch Front	77.3%	1,539,500	3.3% ± 1.7%	50,200	66.1%	
Non-Wasatch Front	22.7%	452,100	5.7% ± 1.9%	25,800	33.9%	
Total, All Utahns	100.0%	1,991,800	3.8% ± 1.4%	76,100	100.0%	

1 Rounded to the nearest 100 persons.

2 Plus or minus 95% confidence interval

3 Figures in these columns may not sum to the totals because of missing values on the grouping variables.

4 Household income expressed as a percentage of the federal poverty level.

5 Wasatch Front counties include Salt Lake, Utah, Davis, and Weber counties.

Note: Hospitalization was defined as being "a patient in a hospital overnight for any reason other than giving birth."

Table 19. Hospitalization: Percentage of Persons Who Had An Overnight Hospital Stay in the Past 12 Months by Primary Provider, Access and Health Status. Utah 1996.

Primary Provider/Access/ Health Status Subgroup	Utah Population Distribution		Survey Estimates of Utahns Who Were Hospitalized in the Past 12 Months		
	Percentage Distribution	Number of Persons ¹	Percentage of Persons Who Had Been Hospitalized ²	Number of Persons ^{1, 3}	Percentage Distribution of Persons Who Had Been Hospitalized by Category
Primary Provider or Usual Place of Care					
Has Primary Provider	82.2%	1,637,300	4.1% ± 1.7%	67,600	91.6%
No Primary Provider	17.8%	354,500	1.7% ± 1.6%	6,200	8.4%
Total, All Utahns	100.0%	1,991,800	3.8% ± 1.4%	76,100	100.0%
Any Access Problem					
No Problem Accessing Care	97.6%	1,944,000	3.9% ± 1.5%	74,800	98.3%
Problem Accessing Care	2.4%	47,800	*** ± ***	***	***
Total, All Utahns	100.0%	1,991,800	3.8% ± 1.4%	76,100	100.0%
General Health Status					
Very Good, Excellent	70.0%	1,394,300	2.3% ± 1.0%	31,400	38.4%
Good, Fair, Poor	30.0%	597,500	8.4% ± 4.6%	50,300	61.6%
Total, All Utahns	100.0%	1,991,800	3.8% ± 1.4%	76,100	100.0%
SF-12 Physical Health Status Composite Score (Age 18 and Over) ⁴					
Average or Above Average	81.2%	1,090,700	1.8% ± 1.2%	20,100	38.2%
Below Average Physical Health	18.8%	252,500	12.9% ± 8.1%	32,500	61.8%
Total, Adult Utahns (Age 18+)	100.0%	1,343,200	4.4% ± 2.0%	59,200	100.0%
SF-12 Mental Health Status Composite Score (Age 18 and Over) ⁴					
Average or Above Average	83.1%	1,116,200	3.5% ± 2.1%	38,700	66.0%
Below Average Mental Health	16.9%	227,000	8.8% ± 6.7%	19,900	34.0%
Total, Adult Utahns (Age 18+)	100.0%	1,343,200	4.4% ± 2.0%	59,200	100.0%
Presence of a Chronic Medical Condition ⁵					
Medical Condition	20.9%	416,300	12.5% ± 6.4%	52,100	63.4%
No Medical Condition	79.1%	1,575,500	1.9% ± 0.9%	30,100	36.6%
Total, All Utahns	100.0%	1,991,800	3.8% ± 1.4%	76,100	100.0%

1 Rounded to the nearest 100 persons.

2 Plus or minus 95% confidence interval

3 Figures in these columns may not sum to the totals because of missing values on the grouping variables.

4 Medical Outcomes Study (MOS) SF-12 measure for physical and mental health status. For more information, see Bureau of Surveillance and Analysis. (1997). *Health Status in Utah: The Medical Outcomes Study SF-12* (1996 Health Status Survey Report). Salt Lake City, UT: Utah Department of Health.

5 Medical conditions include Alzheimer's disease, asthma, diabetes, chronic obstructive pulmonary disease, arthritis, stroke, heart disease, hearing impairment, vision impairment, and speech impairment.

Note: Hospitalization was defined as being "a patient in a hospital overnight for any reason other than giving birth."

*** Sample size insufficient to produce reliable population estimates.

Table 20. Poor Mental Health Status: Percentage of Persons Whose Mental Health Score on the SF12 Was Poorer Than Average (Below Average Mental Health Status) by Sex and Age. Utah Adults (Age 18 or Over), 1996.

Demographic Subgroup	Utah Population Distribution		Survey Estimates of Utahns Who Reported Below Average Mental Health			
	Percentage Distribution	Number of Persons ¹	Percentage of Persons With Below Average Mental Health ²	Number of Persons ^{1, 3}	Percentage Distribution of Persons With Below Avg. Mental Health by Category	
Mental Health Status as Measured by the MOS SF-12						
Above Average	15.7%	210,900				
Average	67.5%	906,700				
Below Average	16.9%	226,600				
Total, Adult Utahns (Age 18+)	100.0%	1,343,200				
Below Average Mental Health Status on MOS SF-12	100.0%	1,343,200	16.9% ± 1.4%	226,600	100.0%	
Sex						
Males	48.7%	653,600	13.7% ± 2.1%	89,300	39.4%	
Females	51.3%	689,600	19.9% ± 2.0%	137,400	60.6%	
Total, Adult Utahns (Age 18+)	100.0%	1,343,200	16.9% ± 1.4%	226,600	100.0%	
Age Group						
18 to 34	40.3%	541,100	17.7% ± 2.3%	95,700	42.4%	
35 to 49	30.1%	403,900	17.7% ± 2.7%	71,600	31.7%	
50 to 64	15.8%	211,700	15.4% ± 3.6%	32,500	14.4%	
65 and Over	13.9%	186,500	14.0% ± 3.3%	26,000	11.5%	
Total, Adult Utahns (Age 18+)	100.0%	1,343,200	16.9% ± 1.4%	226,600	100.0%	
Sex and Age						
Males, 18 to 34	19.9%	267,600	14.3% ± 3.3%	38,100	16.9%	
Males, 35 to 49	15.0%	201,200	15.4% ± 3.9%	31,000	13.7%	
Males, 50 to 64	7.7%	103,900	11.7% ± 5.3%	12,200	5.4%	
Males, 65 and Over	6.0%	80,900	9.2% ± 3.5%	7,400	3.3%	
Females, 18 to 34	20.4%	273,400	21.1% ± 3.2%	57,700	25.6%	
Females, 35 to 49	15.1%	202,700	20.1% ± 3.6%	40,700	18.0%	
Females, 50 to 64	8.0%	107,900	18.8% ± 4.9%	20,300	9.0%	
Females, 65 and Over	7.9%	105,600	17.5% ± 5.0%	18,400	8.1%	
Total, Adult Utahns (Age 18+)	100.0%	1,343,200	16.9% ± 1.4%	226,600	100.0%	

1 Rounded to the nearest 100 persons.

2 Plus or minus 95% confidence interval

3 Figures in these columns may not sum to the totals because of missing values on the grouping variables.

Note: Below average mental health was defined using the Medical Outcomes Study (MOS) SF-12 scale. For more information see Bureau of Surveillance and Analysis. (1997). *Health Status in Utah: The Medical Outcomes Study SF-12* (1996 Health Status Survey Report). Salt Lake City, UT: Utah Department of Health.

Table 21. Poor Mental Health Status: Percentage of Persons Whose Mental Health Score on the SF12 Was Poorer Than Average (Below Average Mental Health Status) by Selected Demographic Characteristics.
Utah Adults (Age 18 or Over), 1996.

Demographic Subgroup	Utah Population Distribution		Survey Estimates of Utahns Who Reported Below Average Mental Health			
	Percentage Distribution	Number of Persons ¹	Percentage of Persons With Below Average Mental Health ²	Number of Persons ^{1,3}	Percentage Distribution of Persons With Below Avg. Mental Health by Category	
Local Health District						
Bear River	6.0%	80,000	15.3% ± 3.4%	12,300	5.4%	
Central	2.9%	39,100	16.4% ± 3.4%	6,400	2.8%	
Davis	10.8%	145,100	14.9% ± 3.4%	21,600	9.5%	
Salt Lake	42.1%	565,400	17.3% ± 2.8%	97,900	43.2%	
Southeastern	2.7%	36,200	18.6% ± 3.6%	6,700	3.0%	
Southwest	5.7%	76,200	17.0% ± 3.7%	13,000	5.7%	
Summit	1.2%	15,600	13.5% ± 3.5%	2,100	0.9%	
Tooele	1.4%	18,500	19.1% ± 3.7%	3,500	1.5%	
TriCounty	1.8%	24,700	19.7% ± 3.9%	4,900	2.2%	
Utah County	15.2%	204,500	17.5% ± 3.8%	35,800	15.8%	
Wasatch	0.6%	8,100	15.1% ± 3.2%	1,200	0.5%	
Weber-Morgan	9.6%	128,900	16.4% ± 3.8%	21,100	9.3%	
Total, Adult Utahns (Age 18+)	100.0%	1,343,200	16.9% ± 1.4%	226,600	100.0%	
Health Insurance Status						
Insured	90.5%	1,215,200	16.0% ± 1.5%	194,300	86.4%	
Uninsured	9.5%	128,000	23.8% ± 5.3%	30,500	13.6%	
Total, Adult Utahns (Age 18+)	100.0%	1,343,200	16.9% ± 1.4%	226,600	100.0%	
Household Poverty Level⁴						
<=100%	7.1%	95,400	32.5% ± 7.0%	31,000	13.1%	
101%-200%	27.3%	366,600	21.5% ± 3.5%	78,900	33.2%	
201%-300%	26.8%	359,800	15.0% ± 2.9%	53,900	22.7%	
>=301%	38.8%	521,200	14.1% ± 2.1%	73,500	31.0%	
Total, Adult Utahns (Age 18+)	100.0%	1,343,200	16.9% ± 1.4%	226,600	100.0%	
Annual Household Income						
<=\$15,000	6.7%	89,900	32.2% ± 6.1%	28,900	12.5%	
\$15,000-\$35,000	29.9%	401,500	20.1% ± 2.9%	80,900	35.1%	
\$35,000-\$55,000	33.3%	447,300	16.6% ± 2.7%	74,300	32.2%	
>=\$55,000	30.1%	404,300	11.4% ± 2.4%	46,300	20.1%	
Total, Adult Utahns (Age 18+)	100.0%	1,343,200	16.9% ± 1.4%	226,600	100.0%	
Education Level (Age 18 and Over)						
High School Grad or Less	36.5%	490,300	21.4% ± 2.7%	105,000	46.2%	
Some College or Vocation Degree	37.3%	501,000	15.5% ± 2.3%	77,700	34.2%	
Four-Year College Graduate	26.2%	351,900	12.7% ± 2.3%	44,700	19.7%	
Total, Adult Utahns (Age 18+)	100.0%	1,343,200	16.9% ± 1.4%	226,600	100.0%	
Marital Status (Age 18 and over)						
Married	68.4%	918,700	13.9% ± 1.6%	127,400	56.1%	
Divorced, Widowed, Separated	13.4%	180,000	27.2% ± 4.4%	49,000	21.6%	
Never Married	18.2%	244,500	20.8% ± 4.0%	50,800	22.4%	
Total, Adult Utahns (Age 18+)	100.0%	1,343,200	16.9% ± 1.4%	226,600	100.0%	
Wasatch Front Residence⁵						
Wasatch Front	77.3%	1,038,200	16.9% ± 1.8%	175,000	77.3%	
Non-Wasatch Front	22.7%	304,900	16.9% ± 1.5%	51,500	22.7%	
Total, Adult Utahns (Age 18+)	100.0%	1,343,200	16.9% ± 1.4%	226,600	100.0%	

1 Rounded to the nearest 100 persons.

2 Plus or minus 95% confidence interval

3 Figures in these columns may not sum to the totals because of missing values on the grouping variables.

4 Household income expressed as a percentage of the federal poverty level.

5 Wasatch Front counties include Salt Lake, Utah, Davis, and Weber counties.

Table 22. Poor Mental Health Status: Percentage of Persons Whose Mental Health Score on the SF12 Was Poorer Than Average (Below Average Mental Health Status) by Primary Provider, Problems With Access, and Health Status. Utah Adults (Age 18 or Over), 1996.

Demographic Subgroup	Utah Population Distribution		Survey Estimates of Utahns Who Reported Below Average Mental Health			
	Percentage Distribution	Number of Persons ¹	Percentage of Persons With Below Average Mental Health ²	Number of Persons ^{1, 3}	Percentage Distribution of Persons With Below Avg. Mental Health by Category	
Primary Provider or Usual Place of Care						
Has Primary Provider	79.5%	1,067,800	16.4% ± 2.0%	175,300	79.0%	
No Primary Provider	20.5%	275,400	16.9% ± 4.1%	46,500	21.0%	
Total, Adult Utahns (Age 18+)	100.0%	1,343,200	16.9% ± 1.4%	226,600	100.0%	
Any Access Problem						
No Problem Accessing Care	97.0%	1,302,900	15.6% ± 1.8%	203,300	91.8%	
Problem Accessing Care	3.0%	40,300	45.2% ± 13.5%	18,200	8.2%	
Total, Adult Utahns (Age 18+)	100.0%	1,343,200	16.9% ± 1.4%	226,600	100.0%	
General Health Status						
Very Good, Excellent	64.0%	859,600	12.6% ± 1.6%	107,900	47.3%	
Good, Fair, Poor	36.0%	483,600	24.8% ± 2.8%	120,100	52.7%	
Total, Adult Utahns (Age 18+)	100.0%	1,343,200	16.9% ± 1.4%	226,600	100.0%	
SF-12 Physical Health Status Composite Score (Age 18 and Over) ⁴						
Average or Above Average	81.2%	1,090,700	15.5% ± 1.5%	169,100	74.6%	
Below Average Physical Health	18.8%	252,500	22.8% ± 3.8%	57,500	25.4%	
Total, Adult Utahns (Age 18+)	100.0%	1,343,200	16.9% ± 1.4%	226,600	100.0%	
Presence of a Chronic Medical Condition ⁵						
Medical Condition	30.1%	404,300	22.3% ± 3.1%	90,300	40.1%	
No Medical Condition	69.9%	938,900	14.4% ± 1.6%	134,700	59.9%	
Total, Adult Utahns (Age 18+)	100.0%	1,343,200	16.9% ± 1.4%	226,600	100.0%	

1 Rounded to the nearest 100 persons.

2 Plus or minus 95% confidence interval

3 Figures in these columns may not sum to the totals because of missing values on the grouping variables.

4 Medical Outcomes Study (MOS) SF-12 measure for physical and mental health status. For more information, see Bureau of Surveillance and Analysis. (1997). *Health Status in Utah: The Medical Outcomes Study SF-12* (1996 Health Status Survey Report). Salt Lake City, UT: Utah Department of Health.

5 Medical conditions include Alzheimer's disease, asthma, diabetes, chronic obstructive pulmonary disease, arthritis, stroke, heart disease, hearing impairment, vision impairment, and speech impairment.

Table 23. Mental Health Care Utilization: Percentage of Persons Who Sought Mental Health Care in the Past 12 Months by Sex and Age. Utah Adults (Age 18 or Over), 1996.

Primary Provider/Access/ Health Status Subgroup	Utah Population Distribution		Survey Estimates of Adult Utahns Who Sought Mental Health Care		
	Percentage Distribution	Number of Persons ¹	Percentage of Adults Who Sought Mental Health Care ²	Number of Persons ^{1,3}	Percentage Distribution of Adults Who Sought Mental Health Care by Category
Average or Above Avg Mental Health Status					
Did Not Seek Care	78.9%	1,059,700			
Sought Mental Health Care	4.3%	58,200			
Below Average Mental Health Status					
Sought Mental Health Care	4.4%	58,700			
Considered But Did Not Seek Care	2.8%	37,500			
Did Not Consider Seeking Care	9.6%	129,100			
Total, Adult Utahns (Age 18+)	100.0%	1,343,200			
Sought Mental Health Care in the Previous 12 Months	100.0%	1,343,200	9.1% ± 1.1%	122,800	100.0%
Sex					
Males	48.7%	653,600	7.1% ± 1.5%	46,500	37.9%
Females	51.3%	689,600	11.1% ± 1.6%	76,300	62.1%
Total, Adult Utahns (Age 18+)	100.0%	1,343,200	9.1% ± 1.1%	122,800	100.0%
Age Group					
18 to 34	40.3%	541,100	8.8% ± 1.6%	47,300	38.6%
35 to 49	30.1%	403,900	10.5% ± 2.1%	42,200	34.5%
50 to 64	15.8%	211,700	9.1% ± 3.1%	19,200	15.7%
65 and Over	13.9%	186,500	7.3% ± 2.7%	13,700	11.2%
Total, Adult Utahns (Age 18+)	100.0%	1,343,200	9.1% ± 1.1%	122,800	100.0%
Sex and Age					
Males, 18 to 34	19.9%	267,600	6.9% ± 2.2%	18,500	15.1%
Males, 35 to 49	15.0%	201,200	6.5% ± 2.4%	13,000	10.6%
Males, 50 to 64	7.7%	103,900	8.9% ± 4.9%	9,300	7.6%
Males, 65 and Over	6.0%	80,900	6.9% ± 4.5%	5,600	4.6%
Females, 18 to 34	20.4%	273,400	10.6% ± 2.3%	28,900	23.6%
Females, 35 to 49	15.1%	202,700	14.5% ± 3.3%	29,300	23.9%
Females, 50 to 64	8.0%	107,900	9.2% ± 3.8%	9,900	8.1%
Females, 65 and Over	7.9%	105,600	7.7% ± 3.3%	8,100	6.6%
Total, Adult Utahns (Age 18+)	100.0%	1,343,200	9.1% ± 1.1%	122,800	100.0%

1 Rounded to the nearest 100 persons.

2 Plus or minus 95% confidence interval

3 Figures in these columns may not sum to the totals because of missing values on the grouping variables.

Note: Below average mental health was defined using the Medical Outcomes Study (MOS) SF-12 scale. For more information see Bureau of Surveillance and Analysis. (1997). *Health Status in Utah: The Medical Outcomes Study SF-12* (1996 Health Status Survey Report). Salt Lake City, UT: Utah Department of Health.

Table 24. Mental Health Care Utilization: Percentage of Persons Who Sought Mental Health Care in the Past 12 Months by Selected Demographic Characteristics. Utah Adults (Age 18 or Over), 1996.

Primary Provider/Access/ Health Status Subgroup	Utah Population Distribution		Survey Estimates of Adult Utahns Who Sought Mental Health Care			
	Percentage Distribution	Number of Persons ¹	Percentage of Adults Who Sought Mental Health Care ²		Number of Persons ^{1, 3}	Percentage Distribution of Adults Who Sought Mental Health Care by Category
Local Health District						
Bear River	6.0%	80,000	7.1%	± 2.4%	5,700	4.6%
Central	2.9%	39,100	6.1%	± 2.1%	2,400	2.0%
Davis	10.8%	145,100	9.1%	± 2.7%	13,200	10.8%
Salt Lake	42.1%	565,400	11.1%	± 2.2%	62,500	50.9%
Southeastern	2.7%	36,200	7.3%	± 2.2%	2,600	2.1%
Southwest	5.7%	76,200	8.2%	± 2.6%	6,300	5.1%
Summit	1.2%	15,600	10.1%	± 2.9%	1,600	1.3%
Tooele	1.4%	18,500	7.3%	± 2.3%	1,400	1.1%
TriCounty	1.8%	24,700	5.9%	± 2.1%	1,400	1.1%
Utah County	15.2%	204,500	6.6%	± 2.4%	13,500	11.0%
Wasatch	0.6%	8,100	7.9%	± 2.7%	600	0.5%
Weber-Morgan	9.6%	128,900	9.0%	± 2.7%	11,500	9.4%
Total, Adult Utahns (Age 18+)	100.0%	1,343,200	9.1%	± 1.1%	122,800	100.0%
Health Insurance Status						
Insured	90.5%	1,215,200	8.6%	± 1.3%	104,900	87.0%
Uninsured	9.5%	128,000	12.3%	± 4.0%	15,700	13.0%
Total, Adult Utahns (Age 18+)	100.0%	1,343,200	9.1%	± 1.1%	122,800	100.0%
Persons Who Had Health Insurance						
Above Average Mental Health	14.5%	194,300	4.3%	± 2.0%	8,300	8.6%
Average Mental Health	62.4%	838,700	5.2%	± 1.1%	43,700	45.2%
Below Average Mental Health	13.6%	182,200	24.5%	± 4.3%	44,700	46.2%
Total Insured	90.5%	1,215,200	8.6%	± 1.3%	104,900	100.0%
Persons With No Health Insurance						
Above Average Mental Health	2.3%	30,500	***	± ***	***	***
Average Mental Health	5.2%	70,500	6.4%	± 3.1%	4,500	28.7%
Below Average Mental Health	2.0%	27,100	29.4%	± 11.6%	8,000	51.0%
Total Uninsured	9.5%	128,000	12.3%	± 4.0%	15,700	100.0%
Household Poverty Level ⁴						
<=100%	7.1%	95,400	16.1%	± 5.1%	15,300	12.3%
101%-200%	27.3%	366,600	10.6%	± 2.7%	39,000	31.4%
201%-300%	26.8%	359,800	8.6%	± 2.3%	30,900	24.9%
>=301%	38.8%	521,200	7.5%	± 1.5%	39,100	31.5%
Total, Adult Utahns (Age 18+)	100.0%	1,343,200	9.1%	± 5.1%	122,800	100.0%
Income Less Than 100% of Poverty Level						
Above Average Mental Health	2.3%	31,000	***	± ***	***	***
Average Mental Health	3.8%	51,300	8.2%	± 5.4%	4,200	27.5%
Below Average Mental Health	1.0%	13,100	33.4%	± 12.1%	4,400	28.8%
Total, Adult Utahns in Poverty	7.1%	95,400	16.1%	± 5.1%	15,300	100.0%
Income Greater Than 100% of Poverty Level						
Above Average Mental Health	15.1%	202,400	4.8%	± 2.3%	9,700	9.7%
Average Mental Health	63.3%	850,600	5.1%	± 1.0%	43,000	42.9%
Below Average Mental Health	14.5%	194,600	24.4%	± 4.5%	47,500	47.4%
Total, Adltl Utahns >100% Poverty	92.9%	1,247,600	8.2%	± 1.1%	101,700	100.0%

Table 24. (Continued)

Primary Provider/Access/ Health Status Subgroup	Utah Population Distribution		Survey Estimates of Adult Utahns Who Sought Mental Health Care		
	Percentage Distribution	Number of Persons ¹	Percentage of Adults Who Sought Mental Health Care ²	Number of Persons ^{1, 3}	Percentage Distribution of Adults Who Sought Mental Health Care by Category
Annual Household Income					
<=\$15,000	6.7%	89,900	19.0% ± 4.9%	17,100	14.1%
\$15,000-\$35,000	29.9%	401,500	9.9% ± 2.3%	39,900	33.0%
\$35,000-\$55,000	33.3%	447,300	8.2% ± 1.8%	36,500	30.2%
>=\$55,000	30.1%	404,300	6.8% ± 1.8%	27,500	22.7%
Total, Adult Utahns (Age 18+)	100.0%	1,343,200	9.1% ± 1.1%	122,800	100.0%
Income Under \$15,000					
Above Average Mental Health	0.8%	11,300	*** ± ***	***	***
Average Mental Health	3.7%	49,600	10.0% ± 5.4%	5,000	29.2%
Below Average Mental Health	2.2%	28,900	37.6% ± 11.2%	10,900	63.7%
Total, Adult Utahns <\$15K	6.7%	89,900	19.0% ± 4.9%	17,100	100.0%
Income \$15,000 to \$45,000					
Above Average Mental Health	7.7%	103,900	6.9% ± 2.0%	7,200	11.8%
Average Mental Health	31.5%	423,700	5.0% ± 1.4%	21,200	34.6%
Below Average Mental Health	9.6%	128,900	25.4% ± 6.0%	32,800	53.6%
Total, Adult Utahns \$15K-\$45K	48.9%	656,600	9.3% ± 1.7%	61,200	100.0%
Income Over \$45,000					
Above Average Mental Health	6.9%	92,600	2.2% ± 1.6%	2,100	5.6%
Average Mental Health	32.0%	429,700	4.8% ± 1.5%	20,700	28.2%
Below Average Mental Health	5.4%	72,700	20.6% ± 6.8%	15,000	28.5%
Total, Adult Utahns >\$45K	44.3%	595,000	6.3% ± 1.4%	37,700	100.0%
Education Level (Age 18 and Over)					
High School Grad or Less	36.5%	490,300	9.2% ± 1.8%	45,100	36.7%
Some College or Vocation Degree	37.3%	501,000	9.5% ± 1.9%	47,800	38.9%
Four-Year College Graduate	26.2%	351,900	8.6% ± 2.0%	30,100	24.5%
Total, Adult Utahns (Age 18+)	100.0%	1,343,200	9.1% ± 1.1%	122,800	100.0%
Marital Status (Age 18 and over)					
Married	68.4%	918,700	7.6% ± 1.3%	69,800	56.8%
Divorced, Widowed, Separated	13.4%	180,000	16.0% ± 3.3%	28,700	23.4%
Never Married	18.2%	244,500	10.0% ± 2.8%	24,400	19.9%
Total, Adult Utahns (Age 18+)	100.0%	1,343,200	9.1% ± 1.1%	122,800	100.0%
Wasatch Front Residence⁵					
Wasatch Front	77.3%	1,038,200	9.7% ± 1.4%	100,200	81.6%
Non-Wasatch Front	22.7%	304,900	7.4% ± 1.0%	22,600	18.4%
Total, Adult Utahns (Age 18+)	100.0%	1,343,200	9.1% ± 1.1%	122,800	100.0%

1 Rounded to the nearest 100 persons.

2 Plus or minus 95% confidence interval

3 Figures in these columns may not sum to the totals because of missing values on the grouping variables.

4 Household income expressed as a percentage of the federal poverty level.

5 Wasatch Front counties include Salt Lake, Utah, Davis, and Weber counties.

Medical Outcomes Study (MOS) SF-12 measure for physical and mental health status. For more information, see Bureau of Surveillance and Analysis. (1997). *Health Status in Utah: The Medical Outcomes Study SF-12* (1996 Health Status Survey Report). Salt Lake City, UT: Utah Department of Health.

*** Sample size insufficient to produce reliable population estimates.

Table 25. Mental Health Care Utilization: Percentage of Persons Who Sought Mental Health Care in the Past 12 Months by Primary Provider, Problems With Access, and Health Status. Utah Adults (Age 18 or Over), 1996.

Primary Provider/Access/ Health Status Subgroup	Utah Population Distribution		Survey Estimates of Adult Utahns Who Sought Mental Health Care			
	Percentage Distribution	Number of Persons ¹	Percentage of Adults Who Sought Mental Health Care ²	Number of Persons ^{1,3}	Percentage Distribution of Adults Who Sought Mental Health Care by Category	
Primary Provider or Usual Place of Care						
Has Primary Provider	79.5%	1,067,800	9.8% ± 1.7%	104,600	87.5%	
No Primary Provider	20.5%	275,400	5.5% ± 2.2%	15,000	12.5%	
Total, Adult Utahns (Age 18+)	100.0%	1,343,200	9.1% ± 1.1%	122,800	100.0%	
Any Access Problem						
No Problem Accessing Care	97.0%	1,302,900	8.4% ± 1.4%	109,700	91.6%	
Problem Accessing Care	3.0%	40,300	25.1% ± 11.9%	10,100	8.4%	
Total, Adult Utahns (Age 18+)	100.0%	1,343,200	9.1% ± 1.1%	122,800	100.0%	
General Health Status						
Very Good, Excellent	64.0%	859,600	7.2% ± 1.2%	61,900	50.4%	
Good, Fair, Poor	36.0%	483,600	12.6% ± 2.2%	61,000	49.6%	
Total, Adult Utahns (Age 18+)	100.0%	1,343,200	9.1% ± 1.1%	122,800	100.0%	
SF-12 Physical Health Status Composite Score (Age 18 and Over) ⁴						
Average or Above Average	81.2%	1,090,700	7.2% ± 1.1%	78,600	67.2%	
Below Average Physical Health	18.8%	252,500	15.2% ± 3.3%	38,300	32.8%	
Total, Adult Utahns (Age 18+)	100.0%	1,343,200	9.1% ± 1.1%	122,800	100.0%	
SF-12 Mental Health Status Composite Score (Age 18 and Over) ⁴						
Average or Above Average	83.1%	1,116,200	5.2% ± 0.9%	58,200	49.7%	
Below Average Mental Health	16.9%	227,000	25.9% ± 4.1%	58,800	50.3%	
Total, Adult Utahns (Age 18+)	100.0%	1,343,200	9.1% ± 1.1%	122,800	100.0%	
Presence of a Chronic Medical Condition ⁵						
Medical Condition	30.1%	404,300	13.3% ± 2.5%	53,600	43.4%	
No Medical Condition	69.9%	938,900	7.4% ± 1.1%	69,800	56.6%	
Total, Adult Utahns (Age 18+)	100.0%	1,343,200	9.1% ± 1.1%	122,800	100.0%	

1 Rounded to the nearest 100 persons.

2 Plus or minus 95% confidence interval

3 Figures in these columns may not sum to the totals because of missing values on the grouping variables.

4 Medical Outcomes Study (MOS) SF-12 measure for physical and mental health status. For more information, see Bureau of Surveillance and Analysis. (1997). *Health Status in Utah: The Medical Outcomes Study SF-12* (1996 Health Status Survey Report). Salt Lake City, UT: Utah Department of Health.

5 Medical conditions include Alzheimer's disease, asthma, diabetes, chronic obstructive pulmonary disease, arthritis, stroke, heart disease, hearing impairment, vision impairment, and speech impairment.

**Table 26. Primary Reason for Not Seeking Mental Health Services.
Utah Adults (Age 18 or Over) Who Had Below Average Mental Health Status and
Considered Seeking But Did Not Seek Mental Health Care, 1996.**

Reason for Not Seeking Help	Survey Estimates for Primary Reason for Not Seeking Help (Based on Only Those Who Reported Problems and Considered Seeking Help But Did Not)	
	Percentage Distribution ²	Number of Persons ^{1, 3}
Cost, Insurance, Financial Reasons	34.3% ± 11.1%	12,900
Self-Help	15.8% ± 8.1%	5,900
Time Constraints	19.0% ± 10.5%	7,100
No Reason, Put it Off	8.2% ± 6.6%	3,100
Decided It Was Not Necessary	5.9% ± 5.4%	2,200
Did Not Know Where To Go	2.3% ± 2.0%	900
Went to M.D., Got Prescription	*** ± ***	***
Other	14.0% ± 8.0%	5,300
Total, Adult Utahns With Below Average Mental Health Status Who Considered Seeking But Did Not Seek Mental Health Care	100.0%	37,500

1 Rounded to the nearest 100 persons.

2 Plus or minus 95% confidence interval

3 Figures in these columns may not sum to the totals because of missing values on the grouping variables.

*** Sample size insufficient to produce reliable population estimates.